


North Fork Virgin River E. coli Exceedances



Beneficial Use Designations

- Class 1C Drinking Water
- Class 2A, 2B Recreation
 (e.g. swimming, boating, etc.)
- Class 3A, 3B, 3C, 3D Wildlife Uses
- Class 4 Agricultural Uses



N Fk Virgin River and tributaries 1C, 2A, 3A, 4

Historical N Fk Exceedances

 Zion NPS reconnaissance sampling in 2000 and 2001

Summer sampling 2005-current




Hot Sample July 16, 2009 at WSA Bdry

>2,417 MPN CFU/100ml

 Acute (single sample) standard is 409 MPN (2A)

 Compliance based on 5 samples in 30-day period



Water Contamination


The water in the North Fork of the Virgin River between the Chamberlain's Ranch Trailhead and Deep Creek is unsafe for human ingestion.

Drinking water, filtering water, and swimming are unsafe.


Please contact the Zion NP Backcountry Desk if you have question. 435-772-0170.




\$100 citation and/or mandatory court appearance for violation, 36 CFR 1.5(f)




NFVR above Stevens Canyon



NFVR at Bulloch Canyon




NFVR at N Fk Bridge



NFVR at Temple of Sinawava



NFVR at WSA Boundary




Irrigation Return Flows and Outhouse Ditch







Irrigation Return Flows and Outhouse Canal



WSA, Irrigation Return Flows and Outhouse Canal



WSA, Irrigation Return Flows and Outhouse Canal













E. Coli concentrations at WSA with and without return flow



Odds and ends...

Trailhead toilet



Outhouse over canal



Division of Water Quality Next Steps

Watershed Plan

Additional data collection

Explore funding options

Amy Dickey
Division of Water Quality
(801)536-4334
adickey@utah.gov